

L Number	Hits	Search Text	DB	Time stamp
1	1359	machine adj learn\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 10:52
2	7957	train\$6 and quer\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 10:52
3	258	(machine adj learn\$4) and (train\$6 and quer\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:36
4	215	((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:39
5	215	((machine adj learn\$4) and (train\$6 and quer\$6)) and (((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 10:54
6	203	((((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 10:57
7	2748	multiple near choice	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:13
8	10	((((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) and (multiple near choice)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:04
9	193	((((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) not (((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) and (multiple near choice))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:07
10	20594	((hand\$8 or voice) adj recogni\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:08
11	24288	((hand\$8 or voice) near recogni\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:08
12	32	(((((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) not (((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) and (multiple near choice))) and (((hand\$8 or voice) adj recogni\$8))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:08

13	33	(((((machine adj learn\$4) and (train\$6 and quer\$6)) and (((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) not (((((machine adj learn\$4) and (train\$6 and quer\$6)) and ((machine adj learn\$4) and (train\$6 and quer\$6)) and recogni\$8)) and database) and (multiple near choice))) and (((hand\$8 or voice) near recogni\$8))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:08
15	0	(machine adj learn\$4) and ((multiple adj choice) adj quer\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:13
14	8	(multiple adj choice) adj quer\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:17
16	354	706/12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:17
17	683	706/20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:17
18	40	((machine adj learn\$4) and (train\$6 and quer\$6)) and (((hand\$8 or voice) adj recogni\$8))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:18
19	196	netizen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:36
20	0	((machine adj learn\$4) and (train\$6 and quer\$6)) and netizen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:36
21	80	(machine near2 learn\$4) near2 train\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:38
22	59	((machine near2 learn\$4) near2 train\$6) and recogni\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:40
-	201	(706/10).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 19:19
-	1231	machine near learn\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 11:38
-	37511	quer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 14:54

-	33111	train\$4 and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/24 17:16
-	49673	(voice or handwrit\$4) and recogni\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 14:53
-	1298	(voice and handwrit\$4) and recogni\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:05
-	215114	weight and response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 14:54
-	199	(machine near learn\$4) and quer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/25 19:22
-	96	((machine near learn\$4) and quer\$4) and (train\$4 and network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:09
-	0	(weight and response) and (((voice and handwrit\$4) and recogni\$6) and ((machine near learn\$4) and quer\$4) and (train\$4 and network)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/25 19:22
-	5	((voice and handwrit\$4) and recogni\$6) and (((machine near learn\$4) and quer\$4) and (train\$4 and network))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/25 19:22
-	91	((machine near learn\$4) and quer\$4) and (train\$4 and network)) not (((voice and handwrit\$4) and recogni\$6) and ((machine near learn\$4) and quer\$4) and (train\$4 and network)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/26 12:02
-	436	(706/45).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/26 12:03
-	177	(706/50).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/26 12:03
-	1485	machine near learn\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/21 12:40
-	5884	train\$4 and quer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/21 12:41
-	194	(machine near learn\$4 ) and (train\$4 and quer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/21 12:41

-	117	((machine near learn\$4 ) and (train\$4 and quer\$4)) and recognition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/21 12:42
-	1495	machine near learn\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/24 17:16
-	4238	train\$4 and network and quer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/24 17:16
-	176	(machine near learn\$4 ) and (train\$4 and network and quer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/24 17:37
-	129	((machine near learn\$4 ) and (train\$4 and network and quer\$4)) and response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/24 17:37
-	82	((machine near learn\$4 ) and (train\$4 and network and quer\$4)) and response) and recognition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/24 17:37
-	2045	machine near2 learn\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:09
-	38691	(voice or handwrit\$4 or speech) near2 recogn\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 16:03
-	256015	weight and response	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 14:54
-	7584	quer\$4 and train\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 14:54
-	270	(machine near2 learn\$4 ) and (quer\$4 and train\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 14:54
-	74	((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near2 learn\$4 ) and (quer\$4 and train\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 14:55
-	32	(weight and response ) and (((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near2 learn\$4 ) and (quer\$4 and train\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:08
-	4	(multiple near (choice near quer\$4)) and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:08

-	8	multiple near (choice near quer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:09
-	0	(machine near2 learn\$4 ) and (multiple near (choice near quer\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:09
-	1794	machine near learn\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:09
-	851	(machine near learn\$4) and train\$6	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 16:04
-	192	((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:19
-	185304	reliab\$6 and weight\$6	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:11
-	58465	reliab\$6 and weight\$6 and response	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:18
-	50	((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and (reliab\$6 and weight\$6 and response)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:12
-	28	(((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and (reliab\$6 and weight\$6 and response)) and internet	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:19
-	229	(machine near learn\$4 ) and (reliab\$6 and weight\$6 and response)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:18
-	131	((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and database	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:20
-	67	(((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and database) and internet	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:20
-	121	(((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and database) and (internet or network\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 15:22
-	411376	rul\$6 or question or quer\$6	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 16:05

-	115	(((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and database) and (internet or quer\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 15:26
-	7824	train\$6 near (process or procedure or method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 15:26
-	59	(((((voice or handwrit\$4 or speech) near2 recogn\$8 ) and ((machine near learn\$4) and train\$6 )) and database) and (internet or network\$4)) and (rul\$6 or question or quer\$6)) and (train\$6 near (process or procedure or method))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 15:26
-	1230	((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 16:04
-	939	(machine near2 learn\$4) and train\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 16:05
-	28	((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8 ) and ((machine near2 learn\$4) and train\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 16:10
-	35065	(rul\$6 and (question or quer\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 16:06
-	15	(reliab\$6 and weight\$6 and response) and (((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8 ) and ((machine near2 learn\$4) and train\$6 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 16:06
-	13	(((((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8 ) and ((machine near2 learn\$4) and train\$6 )) not ((reliab\$6 and weight\$6 and response) and (((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8 ) and ((machine near2 learn\$4) and train\$6 ))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 16:10
-	188	(machine near learn\$4) and (data near2 collection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 10:45
-	2095	(voice and handwrit\$4) and recogni\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 10:05
-	2654	((voice or speech or spoken) and handwrit\$4) and recogni\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 10:06
-	10	((machine near learn\$4) and (data near2 collection)) and (((voice or speech or spoken) and handwrit\$4) and recogni\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 10:06

-	230	((machine near learn\$4) and quer\$4) and (train\$4 and network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:40
-	61	((machine near learn\$4) and (data near2 collection)) and ((machine near learn\$4) and quer\$4) and (train\$4 and network) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:09
-	94	((machine near learn\$4) and (data near2 collection)) and ((machine near learn\$4) and quer\$4) and (train\$4 and network) ) not4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:09
-	56	((machine near learn\$4) and (data near2 collection)) and ((machine near learn\$4) and quer\$4) and (train\$4 and network) ) not ((machine near learn\$4) and (data near2 collection)) and ((voice or speech or spoken) and handwrit\$4) and recogni\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:23
-	158	(706/12).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:24
-	11	((machine near learn\$4) and quer\$4) and (train\$4 and network) ) and ((706/12).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:24
-	6926	((quer\$4 or question) and train\$4 and network and recogni\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:42
-	6983	((quer\$4 or question) and train\$4 and network\$6 and recogni\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:42
-	200	(706/11).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:42
-	222	(706/16).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:43
-	775	(706/25).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:43
-	127	((quer\$4 or question) and train\$4 and network\$6 and recogni\$6) ) and ((706/11).CCLS.) or ((706/16).CCLS.) or ((706/25).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:44
-	23	((quer\$4 or question) and train\$4 and network\$6 and recogni\$6) ) and ((706/11).CCLS.) or ((706/16).CCLS.) or ((706/25).CCLS.)) and (data near2 collection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/08 10:45



## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- Print Format

Your search matched 8 of 971567 documents.

A maximum of 8 results are displayed, 25 to a page, sorted by **Relevance** in **descending** order. You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.
 

## Results:

Journal or Magazine = JNL Conference = CNF Standard = STD

## 1 A statistical modeling approach to content based retrieval

Basu, S.; Naphade, M.; Smith, J.R.;  
Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02). IEEE International Conference on , Volume: 4 , 13-17 May 2002  
Page(s): IV-4080 -IV-4083 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(560 KB\)\]](#) [IEEE CNF](#)

## 2 Neural network application to high performance electric drives systems

El-Sharkawi, M.A.;  
Industrial Electronics, Control, and Instrumentation, 1995., Proceedings of the 1995 IEEE IECON 21st International Conference on , Volume: 1 , 6-10 Nov. 1995  
Page(s): 44 -49 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(412 KB\)\]](#) [IEEE CNF](#)

## 3 Using machine learning for content-based image retrieving

Demsar, J.; Solina, F.;  
Pattern Recognition, 1996., Proceedings of the 13th International Conference on , Volume: 3 , 25-29 Aug. 1996  
Page(s): 138 -142 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(456 KB\)\]](#) [IEEE CNF](#)

## 4 Piecewise linear homeomorphisms: the scalar case

Groff, R.E.; Koditschek, D.E.; Khargonekar, P.P.;  
Neural Networks, 2000. IJCNN 2000, Proceedings of the IEEE-INNS-ENNS International Joint Conference on , Volume: 3 , 24-27 July 2000  
Page(s): 259 -264 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) [IEEE CNF](#)

## 5 Support vector machine learning for image retrieval

Lei Zhang; Fuzong Lin; Bo Zhang;  
Image Processing, 2001. Proceedings. 2001 International Conference on , Volume: 2 , 7-10 Oct. 2001  
Page(s): 721 -724 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) [IEEE CNF](#)

## 6 Verification of supervised clustering validity and its applications

Yan Zhan; Fang Yuan; Xi-Zhao Wang;  
Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Conference on , Volume: 4 , 4-5 Nov. 2002  
Page(s): 1833 -1836 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(329 KB\)\]](#) [IEEE CNF](#)



---

**7 An agent-based intelligent system for information gathering from World Wide Web environment**

*Chun-Sheng Li; Cheng-Qi Zhang; Zi-Li Zhang;*

Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Conference on , Volume: 4 , 4-5 Nov. 2002

Page(s): 1852 -1857 vol.4

---

[\[Abstract\]](#) [\[PDF Full-Text \(455 KB\)\]](#) [IEEE CNF](#)

---

**8 Bayesian classification for data from the same unknown class**

*Hung-Ju Huang; Chun-Nan Hsu;*

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 32 Issue: 2 , April 2002

Page(s): 137 -145

---

[\[Abstract\]](#) [\[PDF Full-Text \(333 KB\)\]](#) [IEEE JNL](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved



## ***Research that uses Open Mind Common Sense***

1. Push Singh and William Williams (2003). **LifeNet: a propositional model of ordinary human activity**. Submitted to the *Workshop on Distributed and Collaborative Knowledge Capture (DC-KCAP)* at K-CAP 2003.
2. Push Singh and Barbara Barry. **Collecting commonsense experiences**. 2003. To appear in *Proceedings of the Second International Conference on Knowledge Capture (K-CAP 2003)*. Florida, USA.
3. Timothy Chklovski. **LEARNER: A System for Acquiring Commonsense Knowledge by Analogy**. To appear in *Proceedings of Second International Conference on Knowledge Capture (K-CAP 2003)*. October 2003.
4. Nathan Eagle, Push Singh, and Alex (Sandy) Pentland (2003). **Common sense conversations: understanding casual conversation using a common sense database**. In *Proceedings of the Artificial Intelligence, Information Access, and Mobile Computing Workshop (IJCAI 2003)*. Acapulco, Mexico.
5. Barbara Barry and Glorianna Davenport (2003). **Documenting Life: Videography and Common Sense**. In *Proceedings of IEEE International Conference on Multimedia and Expo*. Baltimore, MD.
6. Push Singh (2003). **Structural critics for commonsense knowledge bases**. Draft.
7. Hugo Liu, Ted Selker, and Henry Lieberman (2003). **Visualizing the Affective Structure of a Text Document**. To Appear in *Proceedings of the Conference on Human Factors in Computing Systems (CHI'03)*, Ft. Lauderdale, Florida. [PDF]
8. Hugo Liu, Henry Lieberman, and Ted Selker (2003). **A Model of Textual Affect Sensing using Real-World Knowledge**. *Proceedings of the Seventh International Conference on Intelligent User Interfaces (IUI 2003)*, pp. 125-132. Miami, Florida. Outstanding Paper Award. [PDF]
9. Henry Lieberman, Hugo Liu, Push Singh, and Barbara Barry (2003). **Beating some common sense into interactive applications**.
10. Hugo Liu and Push Singh (2003). **OMCSNet: A commonsense inference toolkit**.
11. Barbara Barry and Glorianna Davenport (2002). **Why Common Sense for Video Production?** (Interactive Cinema Technical Report #02-01). Media Lab, MIT.
12. Timothy Chklovski and Rada Mihalcea (2002). **Building a Sense Tagged Corpus with Open Mind Word Expert**. In *Proceedings of the Workshop on "Word Sense Disambiguation: Recent Successes and Future Directions"*, ACL 2002 pp. 116-122. [PS]
13. Thomas Lin (2002). **Analogical Inference over a Common Sense Database**. In *Proceedings of the 18th National Conference on Artificial Intelligence, (AAAI-02)*, Student Abstracts, pp. 955-6, Edmonton, Alberta, Canada.
14. Hugo Liu (2002). **Semantic Understanding and Commonsense Reasoning in an Adaptive Photo Agent**, Master of Engineering Thesis, Department of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, Cambridge, MA. [PDF]
15. Hugo Liu, Henry Lieberman, and Ted Selker (2002). **GOOSE: A Goal-Oriented Search Engine With Commonsense**. In *Proceedings of the 2nd International Conference on Adaptive Hypermedia and Adaptive Web Based Systems, (AH2002)* Malaga, Spain. Also appears in *Adaptive Hypermedia and Adaptive Web-Based Systems*, Paul deBra, Peter Brusilovsky, and Ricardo Conejo (eds.), Springer-Verlag, Berlin, 2002, pp. 253-263. [PDF]
16. Hugo Liu and Push Singh (2002). **MAKEBELIEVE: Using Commonsense to Generate Stories**. In *Proceedings of the 20th National Conference on Artificial Intelligence, (AAAI-02)*, Student Abstracts, pp. 957-8, Seattle, WA.
17. Hugo Liu and Henry Lieberman (2002). **Robust photo retrieval using world semantics**. In *Proceedings of the 3rd International Conference on Language Resources And Evaluation Workshop: Creating and Using Semantics for Information Retrieval and Filtering: State-of-the-art and Future Research (LREC2002)*, pp. 15-20, Las Palmas, Canary Islands.

[PDF]

18. Henry Lieberman and Hugo Liu (2002). **Adaptive Linking between Text and Photos Using Common Sense Reasoning**. In *roceedings of the 2nd International Conference on Adaptive Hypermedia and Adaptive Web Based Systems*, (AH2002) Malaga, Spain. Also appears in *Adaptive Hypermedia and Adaptive Web-Based Systems*, Paul deBra, Peter Brusilovsky, and Ricardo Conejo (eds.), Springer-Verlag, Berlin, 2002, pp. 2-11.  
[PDF]
19. Push Singh (2002). **The Open Mind Common Sense project**. *KurzweilAI.net*. Retrieved from <http://www.kurzweilai.net/meme/frame.html?main=/articles/art0371.html>
20. Push Singh (2002). **The public acquisition of commonsense knowledge**. Proceedings of AAAI Spring Symposium on Acquiring (and Using) Linguistic (and World) Knowledge for Information Access. Palo Alto, CA: AAAI.  
[PDF]
21. Push Singh, Thomas Lin, Erik T. Mueller, Grace Lim, Travell Perkins, and Wan Li Zhu (2002). **Open Mind Common Sense: Knowledge acquisition from the general public**. In *Proceedings of the First International Conference on Ontologies, Databases, and Applications of Semantics for Large Scale Information Systems*. Lecture Notes in Computer Science. Heidelberg: Springer-Verlag.  
[PDF] [HTML]

[back to Open Mind Common Sense]



Handwriting

Word

Expert

Common

Sense

Animals


A small rectangular logo with the text "ABOUT OPENMIND" in bold, sans-serif letters.

About Us

In the News

Links

Contact Us



The Open Mind Initiative is a novel world-wide collaborative effort to develop 'intelligent' software. Open Mind collects information from people like you -- non-expert 'netizens' -- in order to teach computers the myriad things which we all know and which underlie our general intelligence but which we usually take for granted. Current computers are notoriously poor in these areas. You can participate by answering questions, contributing data, and playing games online. In this way, you and millions of others help us create 'intelligent' software, made available to all.

To subscribe to a moderated, low-traffic mailing list on Open Mind, send email [tomajordomo@OpenMind.org](mailto:tomajordomo@OpenMind.org) with the following message:  
 subscribe openmind-general <your e-mail address>

To be removed from the list, send instead the message:  
 unsubscribe openmind-general

<your e-mail address>

Hits since January 1, 2001

visit the generous donors to the Open Mind Initiative



IMAGE WORKS



[diamondbullet.com](http://diamondbullet.com)  
USABILITY FIRST



David G. Stork

Chief Scientist

Ricoh Innovations

my last name  
@rii.ricoh.com

### Biography

Dr. David G. Stork is Chief Scientist at Ricoh Innovations as well as Consulting Associate Professor of both Electrical Engineering and Computer Science at Stanford University. A graduate of MIT (BS) and the University of Maryland (PhD), he has been on the faculties of Wellesley College, Swarthmore College, Clark University, Boston University and Stanford University. Dr. Stork holds over fifteen patents and has published numerous peer-reviewed papers and book chapters. His deepest interests are in adaptive pattern recognition by machines and humans and novel uses of the internet.

### Current research projects

- Open Mind Initiative
- Machine learning for text annotation

### Editorial Boards

- Pattern Analysis and Applications
- Neurocomputing
- The International Journal of Neural Systems
- International Journal of Computational Intelligence and Applications

### Books

- Pattern Classification (2nd ed) by R. O. Duda, P. E. Hart & D. G. Stork (Wiley).
- Patahn Shikibetsu by R. O. Duda, P. E. Hart & D. G. Stork, Japanese translation of Pattern Classification (New Technology Communications, Inc.)
- Pattern Classification Algorithms in Matlab Computer manual to accompany Pattern Classification (in preparation)
- HAL's Legacy: 2001's computer as dream and reality edited by D. G. Stork (MIT)
- Haru densetsu: 2001nen no kompyuta no yume to genjitsu edited by D. G. Stork (Hayakawa Publishers) Japanese translation of HAL's Legacy
- Speechreading by Humans and Machines: Models, Systems and Applications edited by D. G. Stork & M. E. Hennecke (Springer)
- Seeing the Light: Optics in Nature, Photography, Color, Vision and Holography by D. S. Falk, D. R. Brill & D. G. Stork (Wiley)
- Ein Blick ins Licht: Einblicke in die Natur des Lichts und des Sehens, in Farbe und Fotografie by D. S. Falk, D. R. Brill & D. G. Stork (Birkhauser-Springer) German translation of Seeing the Light
- The Physics of Sound (2nd ed) by R. E. Berg & D. G. Stork (Prentice-Hall)

### Selected publications

- "Receptive fields and the optimal stimulus" D. G. Stork & J. Z. Levinson, *Science* 216 (4542) pp. 204--205 (1982)
- "Is backpropagation biologically plausible?" D. G. Stork, *Int. Joint Conf. on Neural Networks* pp. II-241-246 Washington, D.C. (1989)
- "Evolution and Learning in Neural Networks: The number and distribution of learning trials affect the rate of evolution" D. G. Stork & R. Keesing, *Proc. of Neural Information Proc. Sys. NIPS-3* R. P. Lippmann, J. E. Moody & D. S. Touretzky (eds.) pp. 804--810 (1991)
- "Connectionist generalization for production: An example from GridFont" D. G. Stork, I. Grebert, R. Keesing & S. Mims, *Neural Networks* 5(4) 699--710 (1992)
- "How to solve the N-bit parity problem with two hidden units" D. G. Stork & J. Allen, *Neural Networks* 5, 923--926 (1992)
- "Network generalization for production: Learning and producing styled letterforms" I. Grebert, D. G. Stork, R. Keesing & S. Mims, *Proc. of Neural Information Proc. Sys. NIPS-4* J. Moody, S. Hanson & R. Lippmann (eds.) pp. 1118--1124 (1992)
- "Retinogeniculate development: The role of competition and correlated retinal activity" R. Keesing, D. G. Stork & C. Shatz, *Proc. of Neural Information Proc. Sys. NIPS-4* J. Moody, S. Hanson & R. Lippmann (eds.) pp. 91--97 (1992)
- "Deterministic Boltzmann Machine VLSI can be scaled using multi-chip modules" M. Murray, J. Burr, M.-T. Leung, K. Boonyanit, D. G. Stork & A. Peterson, *Proc. of the Int. Conf. on Application-Specific Array Processors ASAP-92*, J. Fortes, E. Lee & T. Meng (eds.) pp. 206--217 (1992)
- "Second order derivatives for network pruning: Optimal Brain Surgeon" B. Hassibi & D. G. Stork, *Proc. of Neural Information Proc. Sys. NIPS-5* S. Hanson, J. Cowan & C. Lee Giles (eds.) pp. 164--171 (1993)
- "Optimal Brain Surgeon: Extensions, streamlining and performance comparison" B. Hassibi, G. Wolff, D. G. Stork & T. Watanabe, *Proc. of Neural Information Proc. Sys. NIPS-6* J. Cowan, G. Tesauero & J. Alspector (eds.) pp. 263--270 (1994)
- "Lipreading by neural networks: Visual preprocessing, learning and sensory integration" G. Wolff, K. V. Prasad, D. G. Stork & M. Hennecke, *Proc. of Neural Information Proc. Sys. NIPS-6* J. Cowan, G. Tesauero & J. Alspector (eds.) pp. 1027--1034 (1994)
- "A rapid graph-based method for arbitrary transformation invariant pattern classification" A. Sperduti & D. G. Stork *Proc. of Neural Information Proc. Sys. NIPS-7* G. Tesauero, D. S. Touretzky & T. K. Leen (eds.) pp. 665--672 (1995)
- "Empirical error-confidence curves for neural network and Gaussian classifiers" G. Wolff, A. Owen & D. G. Stork, *Int. J. Neural Systems* 7(3) pp. 363--371 (1996)

- "Speechreading: An overview of image processing, feature extraction, sensory integration and pattern recognition techniques" D. G. Stork and M. Hennecke, *Proc. of the Second Int. Conf. on Auto. Face and Gesture Recog.* Killington, VT pp. xvi--xxvi (1996)
- "Speech recognition and sensory integration" D. Massaro & D. G. Stork, *American Scientist* Vol. 86 (May-June) (1998)
- "Linear discriminant and support vector classifiers" I. Guyon & D. G. Stork in *Advances in Support Vector Machines* A. Smola, P. Bartlett, B. Schölkopf & D. Schuurmans (eds.) (MIT Press, 2000).
- "Character and Document Research in the Open Mind Initiative" D. G. Stork, *Proc. of Int. Conf. on Document Analysis and Recognition* (ICDAR99), pp. 1 -- 12, Bangalore India, (1999)
- "Paper-less or paper-more" Z. Liu & D. G. Stork *Communications of the ACM* (2000, in press).

#### Memberships in Professional Organizations

- Institute of Electronics and Electrical Engineers (IEEE)
- Association for Computing Machinery (ACM)
- International Neural Network Society (INNS)
- Optical Society of America (OSA)
- International Brain Research Organization (IBRO)
- Sigma Xi Honorary Research Society
- The National Association of Scholars (NAS)


**Quick Links**
**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- Print Format

 Your search matched **16** of **971567** documents.

 Results are shown 15 to a page, sorted by **publication year** in **descending** order.

**Results:**

 Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**
**1 An architecture supporting the collection and monitoring of data openly contributed over the World Wide Web**
*Stork, D.G.;*

Enabling Technologies: Infrastructure for Collaborative Enterprises, 2001. WET ICE 2001. Proceedings. Tenth IEEE International Workshops on , 20-22 June 2001

Page(s): 380 -385

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) **IEEE CNF**
**2 Block color quantization: a new method for color halftoning**
*Gupta, M.; Gormish, M.; Stork, D.G.;*

Image Processing, 2000. Proceedings. 2000 International Conference on , Volume: 3 , 10-13 Sept. 2000

Page(s): 460 -463 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) **IEEE CNF**
**3 Character and document research in the Open Mind Initiative**
*Stork, D.G.;*

Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999

Page(s): 1 -12

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) **IEEE CNF**
**4 Building intelligent systems one e-citizen at a time**
*Hearst, M.A.; Hunson, R.D.; Stork, D.G.;*

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 14 Issue: 3 , May-June 1999

Page(s): 16 -20

[\[Abstract\]](#) [\[PDF Full-Text \(856 KB\)\]](#) **IEEE JNL**
**5 Pruning Boltzmann networks and hidden Markov models**
*Pedersen, M.W.; Stork, D.G.;*

Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth Asilomar Conference on , Volume: 1 , 3-6 Nov. 1996

Page(s): 258 -261 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) **IEEE CNF**
**6 Speechreading: an overview of image processing, feature extraction, sensory integration and pattern recognition techniques**
*Stork, D.G.; Hennecke, M.E.;*

Automatic Face and Gesture Recognition, 1996., Proceedings of the Second International Conference on , 14-16 Oct. 1996

Page(s): XVI -XXVI

[\[Abstract\]](#) [\[PDF Full-Text \(1016 KB\)\]](#) **IEEE CNF**
**7 Automatic speech recognition system using acoustic and visual signals**
*Hennecke, M.E.; Prasad, K.V.; Stork, D.G.;*

Signals, Systems and Computers, 1995. 1995 Conference Record of the Twenty-Ninth Asilomar Conference on , Volume: 2 , 30 Oct.-2 Nov. 1995

Page(s): 1214 -1218 vol.2



[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) [IEEE CNF](#)

---

**8 Optimizing bit-plane context-dependent entropy coding for palettized images**

*Zandi, A.; Stork, D.G.; Allen, J.D.;*

Image Processing, 1995. Proceedings., International Conference on , Volume: 1 , 23-26 Oct. 1995

Page(s): 270 -273 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) [IEEE CNF](#)

---

**9 Using deformable templates to infer visual speech dynamics**

*Hennecke, M.E.; Prasad, K.V.; Stork, D.G.;*

Signals, Systems and Computers, 1994. 1994 Conference Record of the Twenty-Eighth Asilomar Conference on , Volume: 1 , 31 Oct.-2 Nov. 1994

Page(s): 578 -582 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) [IEEE CNF](#)

---

**10 A Digital Neural Network VLSI With On-chip Learning Using Stochastic Pulse Encoding**

*Oteki, S.; Hashimoto, A.; Furuta, T.; Motomura, S.; Watanabe, T.; Stork, D.G.; Eguchi, H.;*

Neural Networks, 1993. IJCNN '93-Nagoya. Proceedings of 1993 International Joint Conference on , Volume: 3 , October 25-29, 1993

Page(s): 3039 -3045

[\[Abstract\]](#) [\[PDF Full-Text \(512 KB\)\]](#) [IEEE CNF](#)

---

**11 Optimal Brain Surgeon and general network pruning**

*Hassibi, B.; Stork, D.G.; Wolff, G.J.;*

Neural Networks, 1993., IEEE International Conference on , 28 March-1 April 1993

Page(s): 293 -299 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(528 KB\)\]](#) [IEEE CNF](#)

---

**12 Precision analysis of stochastic pulse encoding algorithms for neural networks**

*Eguchi, H.; Stork, D.G.; Wolff, G.;*

Neural Networks, 1992. IJCNN., International Joint Conference on , Volume: 1 , 7-11 June 1992

Page(s): 395 -400 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) [IEEE CNF](#)

---

**13 Neural network lipreading system for improved speech recognition**

*Stork, D.G.; Wolff, G.; Levine, E.;*

Neural Networks, 1992. IJCNN., International Joint Conference on , Volume: 2 , 7-11 June 1992

Page(s): 289 -295 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(696 KB\)\]](#) [IEEE CNF](#)

---

**14 Deterministic Boltzmann machine VLSI can be scaled using multi-chip modules**

*Murray, M.; Burr, J.B.; Stork, D.G.; Ming-Tak Leung; Kan Boonyanit; Wolff, G.J.; Peterson, A.M.;*

Application Specific Array Processors, 1992. Proceedings of the International Conference on , 4-7 Aug. 1992

Page(s): 206 -217

[\[Abstract\]](#) [\[PDF Full-Text \(596 KB\)\]](#) [IEEE CNF](#)

---

**15 Connectionist generalization for production: an example from GridFont**

*Grebert, I.; Stork, D.G.; Keesing, R.; Mims, S.;*

Neural Networks, 1991., IJCNN-91-Seattle International Joint Conference on , Volume: II , 8-14 July 1991

Page(s): 105 -109 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) **IEEE CNF**

---

1 2 [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**  
RELEASE 1.4Welcome  
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[» Search Results](#)**Quick Links****Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Print Format](#)Your search matched **16** of **971567** documents.Results are shown **15** to a page, sorted by **publication year** in **descending** order.**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****16 Is backpropagation biologically plausible?***Stork, D.G.;*

Neural Networks, 1989. IJCNN., International Joint Conference on , 18-22 June 1989

Page(s): 241 -246 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) **IEEE CNF**[\[Prev\]](#) [1](#) [2](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.5

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
[» Abstract Plus](#)
[Welcome to IEEE Xplore](#) [SEARCH RESULTS](#) [\[PDF Full-Text \(856 KB\)\]](#) [PREVIOUS](#) [NEXT](#) [DOWNLOAD CITATION](#)

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- Print Format

## Building intelligent systems one e-citizen at a time

Hearst, M.A. Hunson, R.D. Stork, D.G.

California Univ. Berkeley, LA, USA;

*This paper appears in: Intelligent Systems, IEEE [see also IEEE Expert]*

Publication Date: May/Jun 1999

On page(s): 16-20

Volume: 14, Issue: 3

ISSN: 1094-7167

References Cited: 6

CODEN: IISYF7

INSPEC Accession Number: 6284660

**Abstract:**

The article comprises two sections. In the first, the author suggests that speculative markets are a neglected way to help us find out what people know. Such markets pool the information that is known to diverse individuals into a common resource, and have many advantages over standard institutions for information aggregation, such as news media, peer review, trials, and opinion polls. Speculative markets are decentralized and relatively egalitarian, and can offer direct, concise, timely, and precise estimates in answer to questions we pose. In the second section, the author argues that now is the time for computer science and cognitive science to have their big science—one that harvests informal knowledge from a large number of e-citizens for building useful software for next generation systems. Given the conjunction of several forces—the need for natural human-machine interfaces and improved Web searching, the existence of good learning algorithms and Web infrastructure, and the demonstrated success of the Open Source methodology—the time is right for the Open Mind Initiative

**Index Terms:**

[Internet](#) [information retrieval](#) [knowledge based systems](#) [technological forecasting](#) [Open Mind Initiative](#) [Open Source methodology](#) [Web infrastructure](#) [Web searching](#) [cognitive science](#) [common resource](#) [computer science](#) [e-citizen](#) [informal knowledge](#) [information aggregation](#) [intelligent systems](#) [learning algorithms](#) [natural human-machine interfaces](#) [next generation systems](#) [precise estimates](#) [speculative markets](#)

**Documents that cite this document**

Select link to view other documents in the database that cite this one.

[SEARCH RESULTS](#) [\[PDF Full-Text \(856 KB\)\]](#) [PREVIOUS](#) [NEXT](#) [DOWNLOAD CITATION](#)
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched 2466 of 971567 documents that contain learning algorithms

A maximum of 500 results are displayed, 15 to a page, sorted by publication year in descending order. Results:

Journal or Magazine = JNL Conference = CNF Standard = STD

### 1 Combining abductive reasoning and inductive learning to evolve requirements specifications

*d'Avila Garcez, A.S.; Russo, A.; Nuseibeh, B.; Kramer, J.;*  
 Software, IEE Proceedings- [see also Software Engineering, IEE Proceedings] ,  
 Volume: 150 Issue: 1 , Feb. 2003  
 Page(s): 25 -38

[\[Abstract\]](#) [\[PDF Full-Text \(1675 KB\)\]](#) [IEEE JNL](#)

### 2 Clustering of Gaussian probability density functions using centroid neural network

*Dong-Chul Park; Oh-Hyun Kwon; Minsoo Suk;*  
 Electronics Letters , Volume: 39 Issue: 4 , 20 Feb 2003  
 Page(s): 381 -382

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) [IEEE JNL](#)

### 3 Self-organizing neurofuzzy networks based on evolutionary fuzzy granulation

*Sung-Kwun Oh; Pedrycz, W.; Byoung-Jun Park;*  
 Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 33 Issue: 2 , March 2003  
 Page(s): 271 -277

[\[Abstract\]](#) [\[PDF Full-Text \(566 KB\)\]](#) [IEEE JNL](#)

### 4 A data analysis competition to evaluate machine learning algorithms for use in brain-computer interfaces

*Sajda, P.; Gerson, A.; Muller, K.-R.; Blankertz, B.; Parra, L.;*  
 Neural Systems and Rehabilitation Engineering, IEEE Transactions on [see also IEEE Trans. on Rehabilitation Engineering] , Volume: 11 Issue: 2 , June 2003  
 Page(s): 184 -185

[\[Abstract\]](#) [\[PDF Full-Text \(195 KB\)\]](#) [IEEE JNL](#)

### 5 On the construction and training of reformulated radial basis function neural networks

*Karayiannis, N.B.; Randolph-Gips, M.M.;*  
 Neural Networks, IEEE Transactions on , Volume: 14 Issue: 4 , July 2003  
 Page(s): 835 -846

[\[Abstract\]](#) [\[PDF Full-Text \(814 KB\)\]](#) [IEEE JNL](#)

### 6 Wavelet neural network control for linear ultrasonic motor drive via adaptive sliding-mode technique

*Faa-Jeng Lin; Rong-Jong Wai; Mu-Ping Chen;*  
 Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on , Volume: 50 Issue: 6 , June 2003  
 Page(s): 686 -698

[\[Abstract\]](#) [\[PDF Full-Text \(858 KB\)\]](#) [IEEE JNL](#)

---

**7 A neuro-fuzzy approach for segmentation of human objects in image sequences**

*Shie-Jue Lee; Chen-Sen Ouyang; Shih-Huai Du;*

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 33 Issue: 3 , June 2003

Page(s): 420 -437

[\[Abstract\]](#) [\[PDF Full-Text \(2297 KB\)\]](#) [IEEE JNL](#)

---

**8 Coordinated secondary voltage control to eliminate voltage violations in power system contingencies**

*Hai Feng Wang; Li, H.; Chen, H.;*

Power Systems, IEEE Transactions on , Volume: 18 Issue: 2 , May 2003

Page(s): 588 -595

[\[Abstract\]](#) [\[PDF Full-Text \(632 KB\)\]](#) [IEEE JNL](#)

---

**9 Single-channel signal separation using time-domain basis functions**

*Jang, G.-J.; Te-Won Lee; Yung-Hwan Oh;*

Signal Processing Letters, IEEE , Volume: 10 Issue: 6 , June 2003

Page(s): 168 -171

[\[Abstract\]](#) [\[PDF Full-Text \(374 KB\)\]](#) [IEEE JNL](#)

---

**10 Self-adaptive recurrent neuro-fuzzy control of an autonomous underwater vehicle**

*Jeen-Shing Wang; Lee, C.S.G.;*

Robotics and Automation, IEEE Transactions on , Volume: 19 Issue: 2 , April 2003

Page(s): 283 -295

[\[Abstract\]](#) [\[PDF Full-Text \(857 KB\)\]](#) [IEEE JNL](#)

---

**11 Lattice algebra approach to single-neuron computation**

*Ritter, G.X.; Urcid, G.;*

Neural Networks, IEEE Transactions on , Volume: 14 Issue: 2 , March 2003

Page(s): 282 -295

[\[Abstract\]](#) [\[PDF Full-Text \(1225 KB\)\]](#) [IEEE JNL](#)

---

**12 Extended Hebbian learning for blind separation of complex-valued sources**

*Fiori, S.;*

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on , Volume: 50 Issue: 4 , April 2003

Page(s): 195 -202

[\[Abstract\]](#) [\[PDF Full-Text \(507 KB\)\]](#) [IEEE JNL](#)

---

**13 Content-based audio classification and retrieval by support vector machines**

*Guodong Guo; Li, S.Z.;*

Neural Networks, IEEE Transactions on , Volume: 14 Issue: 1 , Jan. 2003

Page(s): 209 -215

[\[Abstract\]](#) [\[PDF Full-Text \(635 KB\)\]](#) [IEEE JNL](#)

---

**14 A fuzzy controller with supervised learning assisted reinforcement learning algorithm for obstacle avoidance**

*Cang Ye; Yung, N.H.C.; Danwei Wang;*

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 33 Issue: 1 , Feb. 2003

Page(s): 17 -27

[\[Abstract\]](#) [\[PDF Full-Text \(1017 KB\)\]](#) [IEEE JNL](#)

---

**15 Application of actor-critic learning algorithm for optimal bidding problem of a Genco***Gajjar, G.R.; Khaparde, S.A.; Nagaraju, P.; Soman, S.A.;*

Power Systems, IEEE Transactions on , Volume: 18 Issue: 1 , Feb. 2003

Page(s): 11 -18

---

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) [IEEE JNL](#)

---

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#) [28](#) [29](#) [30](#)  
[31](#) [32](#) [33](#) [34](#) [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.5

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched 2466 of 971567 documents that contain learning algorithms

A maximum of 500 results are displayed, 15 to a page, sorted by publication year in descending order. Results:

Journal or Magazine = JNL Conference = CNF Standard = STD

### 1 Combining abductive reasoning and inductive learning to evolve requirements specifications

*d'Avila Garcez, A.S.; Russo, A.; Nuseibeh, B.; Kramer, J.;*  
 Software, IEE Proceedings- [see also Software Engineering, IEE Proceedings] ,  
 Volume: 150 Issue: 1 , Feb. 2003  
 Page(s): 25 -38

[\[Abstract\]](#) [\[PDF Full-Text \(1675 KB\)\]](#) [IEEE JNL](#)

### 2 Clustering of Gaussian probability density functions using centroid neural network

*Dong-Chul Park; Oh-Hyun Kwon; Minsoo Suk;*  
 Electronics Letters , Volume: 39 Issue: 4 , 20 Feb 2003  
 Page(s): 381 -382

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) [IEEE JNL](#)

### 3 Self-organizing neurofuzzy networks based on evolutionary fuzzy granulation

*Sung-Kwun Oh; Pedrycz, W.; Byoung-Jun Park;*  
 Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 33 Issue: 2 , March 2003  
 Page(s): 271 -277

[\[Abstract\]](#) [\[PDF Full-Text \(566 KB\)\]](#) [IEEE JNL](#)

### 4 A data analysis competition to evaluate machine learning algorithms for use in brain-computer interfaces

*Sajda, P.; Gerson, A.; Muller, K.-R.; Blankertz, B.; Parra, L.;*  
 Neural Systems and Rehabilitation Engineering, IEEE Transactions on [see also IEEE Trans. on Rehabilitation Engineering] , Volume: 11 Issue: 2 , June 2003  
 Page(s): 184 -185

[\[Abstract\]](#) [\[PDF Full-Text \(195 KB\)\]](#) [IEEE JNL](#)

### 5 On the construction and training of reformulated radial basis function neural networks

*Karayiannis, N.B.; Randolph-Gips, M.M.;*  
 Neural Networks, IEEE Transactions on , Volume: 14 Issue: 4 , July 2003  
 Page(s): 835 -846

[\[Abstract\]](#) [\[PDF Full-Text \(814 KB\)\]](#) [IEEE JNL](#)

### 6 Wavelet neural network control for linear ultrasonic motor drive via adaptive sliding-mode technique

*Faa-Jeng Lin; Rong-Jong Wai; Mu-Ping Chen;*  
 Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on , Volume: 50 Issue: 6 , June 2003  
 Page(s): 686 -698



[\[Abstract\]](#) [\[PDF Full-Text \(858 KB\)\]](#) [IEEE JNL](#)

---

**7 A neuro-fuzzy approach for segmentation of human objects in image sequences**

*Shie-Jue Lee; Chen-Sen Ouyang; Shih-Huai Du;*

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 33 Issue: 3 , June 2003

Page(s): 420 -437

[\[Abstract\]](#) [\[PDF Full-Text \(2297 KB\)\]](#) [IEEE JNL](#)

---

**8 Coordinated secondary voltage control to eliminate voltage violations in power system contingencies**

*Hai Feng Wang; Li, H.; Chen, H.;*

Power Systems, IEEE Transactions on , Volume: 18 Issue: 2 , May 2003

Page(s): 588 -595

[\[Abstract\]](#) [\[PDF Full-Text \(632 KB\)\]](#) [IEEE JNL](#)

---

**9 Single-channel signal separation using time-domain basis functions**

*Jang, G.-J.; Te-Won Lee; Yung-Hwan Oh;*

Signal Processing Letters, IEEE , Volume: 10 Issue: 6 , June 2003

Page(s): 168 -171

[\[Abstract\]](#) [\[PDF Full-Text \(374 KB\)\]](#) [IEEE JNL](#)

---

**10 Self-adaptive recurrent neuro-fuzzy control of an autonomous underwater vehicle**

*Jeen-Shing Wang; Lee, C.S.G.;*

Robotics and Automation, IEEE Transactions on , Volume: 19 Issue: 2 , April 2003

Page(s): 283 -295

[\[Abstract\]](#) [\[PDF Full-Text \(857 KB\)\]](#) [IEEE JNL](#)

---

**11 Lattice algebra approach to single-neuron computation**

*Ritter, G.X.; Urcid, G.;*

Neural Networks, IEEE Transactions on , Volume: 14 Issue: 2 , March 2003

Page(s): 282 -295

[\[Abstract\]](#) [\[PDF Full-Text \(1225 KB\)\]](#) [IEEE JNL](#)

---

**12 Extended Hebbian learning for blind separation of complex-valued sources**

*Fiori, S.;*

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on , Volume: 50 Issue: 4 , April 2003

Page(s): 195 -202

[\[Abstract\]](#) [\[PDF Full-Text \(507 KB\)\]](#) [IEEE JNL](#)

---

**13 Content-based audio classification and retrieval by support vector machines**

*Guodong Guo; Li, S.Z.;*

Neural Networks, IEEE Transactions on , Volume: 14 Issue: 1 , Jan. 2003

Page(s): 209 -215

[\[Abstract\]](#) [\[PDF Full-Text \(635 KB\)\]](#) [IEEE JNL](#)

---

**14 A fuzzy controller with supervised learning assisted reinforcement learning algorithm for obstacle avoidance**

*Cang Ye; Yung, N.H.C.; Danwei Wang;*

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 33 Issue: 1 , Feb. 2003

Page(s): 17 -27

[\[Abstract\]](#) [\[PDF Full-Text \(1017 KB\)\]](#) [IEEE JNL](#)

---

**15 Application of actor-critic learning algorithm for optimal bidding problem of a Genco***Gajjar, G.R.; Khaparde, S.A.; Nagaraju, P.; Soman, S.A.;*

Power Systems, IEEE Transactions on , Volume: 18 Issue: 1 , Feb. 2003

Page(s): 11 -18

---

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) [IEEE JNL](#)

---

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#) [28](#) [29](#) [30](#)  
[31](#) [32](#) [33](#) [34](#) [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
RELEASE 1.5Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links**[» Search Results](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

[Print Format](#)

Your search matched 2 of 971567 documents that contain natural human machine interfaces

A maximum of 2 results are displayed, 15 to a page, sorted by publication year in descending order. **Results:**

Journal or Magazine = JNL Conference = CNF Standard = STD

**1 Building intelligent systems one e-citizen at a time**

*Hearst, M.A.; Hunson, R.D.; Stork, D.G.;*

Intelligent Systems, IEEE [see also IEEE Expert], Volume: 14 Issue: 3, May-June 1999

Page(s): 16 -20

[\[Abstract\]](#) [\[PDF Full-Text \(856 KB\)\]](#) **IEEE JNL**

**2 Autonomous wheelchair for disabled people**

*Pires, G.; Honorio, N.; Lopes, C.; Nunes, U.; Almeida, A.T.;*

Industrial Electronics, 1997. ISIE '97., Proceedings of the IEEE International Symposium on, 7-11 July 1997

Page(s): 797 -801 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(644 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

Welcome  
United States Patent and Trademark Office
[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
**Quick Links**[» Search Results](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

**Your search matched 20 of 971567 documents that contain information aggregation**

A maximum of 20 results are displayed, 15 to a page, sorted by publication year in descending order. Results:

Journal or Magazine = JNL Conference = CNF Standard = STD

**16 Controlling modes of operation of electrical distribution systems using expert system methodology***Ekel, P.; Popov, V.;*

Emerging Technologies and Factory Automation, 1995. ETFA '95, Proceedings., 1995 INRIA/IEEE Symposium on , Volume: 2 , 10-13 Oct. 1995

Page(s): 189 -197 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) [IEEE CNF](#)**17 Fuzzy connectives based optimal mapping of homomorphic ARG matching onto self-organising Hopfield network***Suganthan, P.N.; Teoh, E.K.; Mital, D.P.;*

Neural Networks, 1995. Proceedings., IEEE International Conference on , Volume: 4 , 27 Nov.-1 Dec. 1995

Page(s): 2139 -2144 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) [IEEE CNF](#)**18 Neuro-fuzzy based autonomous vehicles***Sarkodie-Gyan, T.; Willumeit, H.-P.;*

Fuzzy Systems, 1995. International Joint Conference of the Fourth IEEE International Conference on Fuzzy Systems and The Second International Fuzzy Engineering Symposium., Proceedings of 1995 IEEE International Conference on , Volume: 2 , 20-24 March 1995

Page(s): 855 -862 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) [IEEE CNF](#)**19 The aggregation of information by examples via fuzzy sensors***Mauris, G.; Benoit, E.; Foulloy, L.;*

Fuzzy Systems, 1994. IEEE World Congress on Computational Intelligence., Proceedings of the Third IEEE Conference on , 26-29 June 1994

Page(s): 1867 -1872 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) [IEEE CNF](#)**20 Building hierarchical solid models from sensor data***Aubry, S.; Hayward, V.;*

Robotics and Automation, 1989. Proceedings., 1989 IEEE International Conference on , 14-19 May 1989

Page(s): 196 -201 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(476 KB\)\]](#) [IEEE CNF](#)[\[Prev\]](#) [1](#) [2](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)[» Search Results](#)

## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched 2 of 971567 documents that contain e citizen

A maximum of 2 results are displayed, 15 to a page, sorted by publication year in descending order. **Results:**  
Journal or Magazine = JNL Conference = CNF Standard = STD

**1 Character and document research in the Open Mind Initiative**

*Stork, D.G.;*  
Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999  
Page(s): 1 -12

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) **IEEE CNF****2 Building intelligent systems one e-citizen at a time**

*Hearst, M.A.; Hunson, R.D.; Stork, D.G.;*  
Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 14 Issue: 3 , May-June 1999  
Page(s): 16 -20

[\[Abstract\]](#) [\[PDF Full-Text \(856 KB\)\]](#) **IEEE JNL**


[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved



By Marti A. Hearst  
University of California, Berkeley  
hearst@sim.berkeley.edu

## Building intelligent systems one e-citizen at a time



### Decision Markets

Robin D. Hanson, George Mason University

Engineers' love of technology often gets in the way of their being useful. Consider Post-it Notes or, better yet, plain paper notepads. These probably seemed like trivial ideas, but they turned out to be terribly useful. Why? Because the marvel that is the human brain has a horrible short-term memory, which means that dumb-as-dirt memory aids can make people substantially smarter.

The human part of any large intelligent system is by far the most intelligent part. As long as this remains true, the biggest system advancements will come from aids that fill big holes in human abilities, rather than from artifacts that stretch engineers' abilities.

I mention all this because I want you to consider a simple, not very technically challenging idea—one that might nevertheless fill a gaping hole in our collective intelligence, similar to the way notepads fill a

gaping hole in our individual memories. I am talking in general about speculative markets, and in particular about *decision markets*. Decision markets might allow us to more accurately estimate the consequences of important decisions, by helping us to better share relevant information.

Consider, for example, a clearly important policy question such as,

How would crime rates change if more citizens could legally carry hidden guns?

Many observers say hidden guns obviously increase crime, while many others strongly disagree (see John Lott's *More Guns, Less Crime*, Univ. of Chicago Press).

I suspect that the existence of such divergent opinions reflects the fact that we suffer from a serious failure to share information. The so-called Information Revolution has greatly improved our ability to find out what others have said. However, it has done much less to improve our ability to find out what other people know. We can now find a blizzard of words on a topic such as the interplay between guns and crime, but we know that most of those words are written by people with axes to grind. The real problem is not finding more words, but judging who really knows about the topic and whether these experts are saying what they know. We are in many ways bit-full, yet information-poor.

I suggest that speculative markets are a neglected way to help us find out what people know. Such markets pool the information that is known to diverse individuals into a common resource, and have many advantages over standard institutions for information aggregation, such as news media, peer review, trials, and opinion polls. Speculative markets are decentralized and relatively egalitarian, and can offer direct, concise, timely, and precise estimates in answer to questions we pose.

These estimates are self-consistent across a wide range of issues and respond quickly to new information. They also seem to be cheap and relatively accurate.

In particular, for questions such as hidden guns and crime, I suggest we consider decision markets, which are speculative markets focusing on particular decisions.

### How decision markets work

Imagine that we created markets where people could bet on future crime rates, conditional on allowing or not allowing more hidden guns. That is, if the market prices predicted that murder rates would be 10% higher should a certain hidden-gun bill pass, then anyone who thought this estimate too high could easily identify a particular profitable trade. If you made this trade and the market estimate then fell to 5%, for example, you could undo this trade for a profit.

Imagine further that if market prices said that crime rates would be 10% higher given more hidden guns, most nonexperts would accept this estimate as our "best answer" or as a neutral "consensus." In particular, a state legislature might accept this estimate when considering whether or not to pass this hidden-gun bill.

I call such a set of markets a decision market. In this situation, advocates for each side of an issue would be forced to influence speculators if they wanted to influence general opinion. Speculators, in turn, would have a clear incentive to be careful and honest in contributing what they know and in judging what advocates know. This is because speculators must "put their money where their mouth is."

Six steps are required to create a decision market to help us better share information on a topic such as the effect of hidden guns on crime.

First, you must state your claim clearly. For example, you might focus on a particular bill B before your state legislature, which would allow more citizens to carry hidden guns. You might decide to focus on your state's murder rate, using some standard government statistic M as your official measure of it. You should choose a lowest and highest relevant murder rate, and scale M so that  $M = 0$  at the lowest rate and  $M = 1$  at the highest rate. (You might choose, for example, the lowest rate to be zero murders and the highest rate to be the population size, which is the highest conceivable murder rate.)



David Hanson is a Robert Wood Johnson Foundation Scholar in Health Policy Studies at the University of California at Berkeley. This fall he will be assistant professor of economics at George Mason University. He has been a research fellow in AI and Bayesian statistics at Lockheed Martin. His research interests include explaining various puzzles in economics in terms of information asymmetries. He has a BS in physics from the University of California at Irvine, an MS in physics and an MA in philosophy of science from the University of Chicago, and a PhD in social science from the California Institute of Technology. Contact him at 140 Warren Hall, School of Public Health, UC Berkeley, 94720-7360; [hanson@econ.berkeley.edu](mailto:hanson@econ.berkeley.edu); <http://hanson.berkeley.edu>.



David G. Stork is the chief scientist at Ricoh Silicon Valley and a consultant and associate professor of electrical engineering at Stanford University. A graduate of MIT and the University of Maryland, he has written and edited several books, including *HAL's Legacy* and (with R.O. Duda and P.E. Hart) the forthcoming second edition of *Pattern Classification*. His central interests are in pattern recognition in machines and humans. Contact him at Ricoh Silicon Valley, 2882 Sand Hill Rd., #15, Menlo Park, CA 94025-1022; [stork@rav.ricoh.com](mailto:stork@rav.ricoh.com).

Next, you must choose some particular trusted third party who will finally declare a murder rate M within [0,1] and determine whether bill B passed. (This party might be a jury randomly drawn from some pool.)

You must also either pick a date by which these judges are to decide, tie the judging to some other event like the release of murder statistics, or grant the judges discretion to choose this date for themselves.

Third, you must choose what asset A you will bet. If the bet is going to last any substantial time, asset A ought to give a reasonable rate of return, to induce speculators to invest in it. You might pick a safe government bond, or you might pick a broad-index stock mutual fund.

Also, given M, B, and this asset A, you authorize some financial institution to make exchanges between units of A and the following set of four assets:

1. M units of A if B passes,
2. M units of A if B does not pass,
3.  $1 - M$  units of A if B passes,
4.  $1 - M$  units of A if B does not pass.

Note that because  $M + (1 - M) = 1$ , and because B either will or won't pass, this financial institution takes no risk from these exchanges; each set of four assets will be worth exactly one unit of A in the end.

Fifth, you create markets in which people can trade various combinations of these assets with each other. In particular, if people trade asset 1 for the bundle of assets 1 and 3, the market price (asset ratio in trades) is an estimate of the murder rate conditional on the bill passing. Similarly, the price in trades of asset 2 for the bundle of 2 and 4 is an estimate of the murder rate

conditional on the bill not passing. Moreover, comparing these two estimates tells you whether, and by how much, speculators expect this bill to increase or decrease the murder rate.

Finally, you have to decide how much to subsidize this market. If interest in your topic is strong enough, simply creating these markets might induce people to trade in them. Failing that, sufficient interest might be induced if someone committed to make a policy choice based on the market estimate. A state legislature, for example, might commit to pass the bill or not depending on the market estimate of their effect on the murder rate.

You can also safely and directly subsidize a market to induce more participation. Doing this in effect creates an *information prize* offered to those who first make the market price better reflect relevant information. (In econo-speak, one way to do this is to create a market maker whose bid and ask prices are monotonic functions of its assets held.)

In addition to estimating the effect of hidden guns on crime, decision markets might give us estimates on

- Murder rates—with or without capital punishment?
- Average mortality rates—with or without national health insurance?
- Health-care spending—with expanded or curtailed use of health maintenance organizations?
- Employment change—raise minimum wage or rescind NAFTA?
- Global sea-level and temperature changes—impose or not impose a carbon dioxide tax?

- Military casualties—with a Republican or a Democratic president?
- Stock prices—with a Republican- or Democrat-controlled US Congress?
- World per-capita food consumption—raise or lower average tariffs?
- Student test scores—with or without school choice or voucher reform?
- Future national economic growth—raise or lower interest rates, or with or without an education subsidy?

Science fiction writers have posited even more ubiquitous betting markets (see John Brunner's *Shockwave Rider*, Del Rey Books, and Marc Steigler's *Earthweb*). In general, decision markets can estimate the net effect of any policy choice of interest on any outcome of interest, as long as there is a decent chance that, after the fact, we can reasonably verify what outcome happened and what policy was chosen.


#### How well do markets work?

By its nature, a betting-market estimate is decentralized, direct, concise, timely, precise, self-consistent, and responds quickly to new information. It is also egalitarian, if everyone is allowed to participate. But how clear, cheap, and accurate are such market estimates?

On accuracy, decades of research on the efficiency of financial markets have found little price-relevant information that is not reflected in market prices. Any inefficiencies seem to be weak and to go away with publicity, because they represent a profit opportunity. If you think the current price is too low, you expect to profit by buying now and selling later, and buying now will raise the price, partially correcting the error you perceived.

Speculative markets have done well in direct tests against standard information-aggregation institutions. For example, orange juice futures prices have been shown to improve on government weather forecasts.<sup>1</sup> Also, markets where traders can bet on election results predict vote totals better than opinion polls.<sup>2</sup>

How do markets do so well? After all, aren't they made of the same fallible humans as other institutions? A study of



those election markets found that while most traders tended to suffer from cognitive biases such as expecting others to agree with them, the most active traders were not biased this way—and active traders set the prices. Speculative markets thus seem to induce the real experts to self-select and participate more. Lab experiments also indicate that speculative markets tend to aggregate information when traders are experienced with their roles and know the payoffs for other roles.<sup>3</sup>

Older economics writings sometimes give the impression that speculative markets will not function unless you have thousands of traders frequently trading millions of dollars worth of goods. Recent Web markets, however, show clearly that markets can be much smaller and slower than this. Furthermore, a subsidized market can function over any time period with only one trader. If an information prize is offered, and only one person is induced to learn enough to only once correct the initial market price to something else, the market has still served a valuable information role.

With subsidies, the key question is not whether we can create speculative markets, or whether such markets can induce people to learn and reveal information. The key questions are whether the information gained is worth the costs paid and whether a similar benefit could have come cheaper via some other institution.

#### What's the holdup?

If speculative markets are so great at information aggregation, why don't we al-

ready use them to form consensus on topics such as the correlation between hidden guns and crime?

Until the last few centuries, the cost of simply handling trades was enough to sharply limit the number of speculative markets that could be made widely available. Yet today *ebay.com* routinely sells \$10 items by having a handful of people bid a few times each over a period of a week. Moreover, play-money Web betting games have shown that just a handful of people, each making a few small trades over several years, can create reasonable estimates on a wide variety of questions. (See [www.hsx.com](http://www.hsx.com), [myhand.com](http://myhand.com), and especially [www.ideosphere.com](http://www.ideosphere.com).)

More important, most speculative markets are now illegal. The short history of financial market regulation is that everything was once illegal, until limited exemptions were granted for specific purposes. Betting on cards was a foolish waste of money; only fools would invest in a business they did not closely monitor; and it was the height of folly to let people bet on the death of others. So casinos, stocks, and insurance were all banned.<sup>4</sup>

Gradually, exceptions were granted for what came to be seen as worthy purposes, such as teaching people about horses (horseracing) or raising state revenue (lotteries). Stocks were allowed for the purpose of capitalizing firms, and insurance was allowed to let individuals hedge risks. More recently, commodity futures and financial derivatives were allowed to let firms hedge more risks. All these areas are highly regulated, however, in part to prevent limited exemptions from devolving into general gambling.

Accepted functions of markets now include entertainment, capitalization, and hedging, but not *information aggregation*. Thus while it is widely recognized that markets created for other purposes accomplish IA, we're prevented from creating a market whose primary function is IA. So we cannot create a market whose legal price would inform raging policy debates, such as the interplay between crime rates and hidden guns.

Okay, betting markets are mainly illegal. But if economists have data suggesting that that speculative markets do well at IA, why aren't lots of economists pushing the idea



of better IA via more markets?

Actually, it's worse than you think; economists also have sophisticated theory that suggests that IA should not be that hard on factual topics like the effect of hidden guns on crime. Rational agents should not even be able to agree on which one of them thinks hidden guns cause more crime.<sup>5</sup> (I won't say more, as the editor wisely advises against using more econo-speak.) Economic theory thus really does suggest we humans have a gaping hole in our social intelligence.

So why aren't economists pushing IA markets? One answer is that economists are just spread too thin. Economic theory suggests many policy improvements over the status quo, and there are few economists that anyone else will listen to. These few economists thus have to choose their battles carefully.

The relevant theory for IA is also recent, and most economists don't yet know about it. Worse, the IA functions of markets seem too complex to model in much generality. When systems become too complex to model in detail, engineers usually resort to building and testing theory-inspired prototypes. However, economic-theorist types who understand this area are reluctant to move that far away from theory. (Capitalization and hedging functions of markets are easier to model, and economists do use theory to design market prototypes for these functions.)

It thus seems to fall to a few economics-savvy and engineering-minded folks like me to think of using prototypes to explore the idea of using more speculative markets for IA.

### **A promising direction: internal corporate markets**

On the types of topics to which they have been applied so far, IA markets have looked promising. There remain, however, many legitimate concerns. For example, does the existence of speculative markets discourage communication via other channels, and is this a net benefit or loss?

Tests of prototypes might help us answer such questions. But how can we test prototypes, if IA markets are generally illegal? Well, there is one plausible loophole (besides offshore gambling), which I have saved for those of you who are still reading this far: internal corporate markets. Corporations have great leeway in what they make

employee bonuses depend on, and a contingent bonus is pretty close to a bet. So several companies, including Hewlett-Packard and Siemens, have begun experimenting with real-money internal speculative markets for estimating things such as future sales.

Corporations also need to make decisions, and often have problems inducing relevant parties to reveal information about the consequences of those decisions. Furthermore, companies have a good rough-and-ready measure of "good for the company"—the stock price. Thus, you could create decision markets that estimate whether any particular decision, such as introducing a new product, is better or worse than some alternative for the stock price. Alternatively, you might predict the sales of some product contingent on some important product-design decision.

Just as notepads fill a gaping hole in our individual cognitive abilities, speculative markets might fill a gaping hole in our collective ability to share information. Economic theory suggests that IA should not be that hard, at least for factual policy questions like the effect of hidden guns on crime rates. Speculative markets seem to work well at such tasks. Let us thus develop prototypes to explore this potential, in the hopes of someday lifting current legal barriers to widespread use of more effective institutions for IA.

For more information on this topic, see <http://hanson.berkeley.edu/ideafutures.html>.

### **References**

1. R. Roll, "Orange Juice and Weather," *American Economic Rev.*, Vol. 74, No. 5, Dec. 1984, pp. 861-880.
2. R. Forsythe et al., "Anatomy of an Experimental Political Stock Market," *American Economic Rev.*, Vol. 82, No. 5, Dec. 1992, pp. 1142-1161.
3. R. Forsythe and R. Lundholm, "Information Aggregation in an Experimental Market," *Econometrica*, Vol. 58, No. 2, Mar. 1990, pp. 309-347.
4. I.N. Rose, *Gambling and the Law*, Gambling Times Inc., Hollywood, Calif., 1986.
5. R. Hanson, *Four Puzzles in Information & Politics*, PhD thesis, California Inst. of Technology, Pasadena, Calif., 1997.

### **The Open Mind Initiative**

David G. Stork, Ricoh Silicon Valley

After decades of research in pattern recognition and components of intelligent systems, the AI community has shifted its focus from fundamental concepts and mathematical techniques to large-scale data acquisition and knowledge engineering. In contest after contest in academic and commercial realms, the best systems for optical character, speech and face recognition, and so on are the ones trained with the most data. Collecting very large, high-quality datasets is evidently vital to progress in these and several other areas. Such data is informal—known by everyone who can read, speak, or hear, or has a commonsense understanding of the world.

Consider, too, the qualified but increasingly compelling success of the Open Source methodology—which promotes software reliability and quality by supporting independent peer review and rapid evolution of freely distributed source code. Linux, SendMail, Apache, the Mozilla version of the Netscape Web browser, and other high-quality software testify to the viability of this collaborative approach to software engineering.

Together, these developments suggest a new approach to building components of intelligent systems—the Open Mind Initiative. This initiative relies on three types of participants:

- domain experts who contribute libraries of algorithms,
- tool developers who contribute and refine the enabling software, and
- lay e-citizens who contribute data via the Internet.

Users with an interest and expertise in a particular domain, such as speech, vision,

## **Coming Next Issue**

## **Quantum Computing and AI**




Figure 1. In an Open Mind project on OCR: handwritten characters are presented to e-citizens whose judgements (here, 4 vs. 9) are entered for instance by means of buttons. Such responses are returned to the Open Mind host and used to train the classifier.

language, or commonsense, serve as reviewers or moderators.

Consider the development of an optical character-recognition system through Open Mind (see Figure 1). A host machine presents pixel images of handwritten characters, transformed by distortions, warping, line thickening, and so forth, on browsers of e-citizens, perhaps in a game interface. E-citizens classify these images by means of a button response; the responses are aggregated, screened for significant outliers at the host machine, and used as training data to improve the classifier.

To explore the novel infrastructure required by Open Mind, Stanford graduate student Chuck Lam and I have developed a Java- and Web-based version of *Animals*, an elementary interactive children's program for classifying animals, dating from the late 1970s. The child (e-citizen) thinks of an animal. Using the child's responses to a series of questions (for example, two-legged or four-legged?), the program tries to determine this animal's identity. If the program guesses wrong, the child must enter a question that distinguishes her animal from the program's guess. After a number of children have played this guessing game, *Animals* has learned a simple tree-based classifier for animals. While not a deep or particularly useful core program, *Animals* provides an excellent platform for solving important problems in Open Mind.

It provides an interface and protocol design for

- efficiently extracting the maximum information from e-citizens,
- detecting and eliminating significant errors and statistical "outliers,"
- repelling hostile attacks, and
- automatically listing contributors according to the amount of information they contributed.

The Open Mind Initiative differs from the Free Software Foundations and the Open Source organization in a number of ways. First, while Open Source draws its support almost entirely from a hacker culture (for example, roughly  $10^5$  programmers have contributed to *Linux*), Open Mind relies heavily on an e-citizen and business culture ( $10^9$  nonprogrammers on the Web). While most of the work in Open Source is directly on the final released source code, most of the effort in Open Mind focuses on the tools, infrastructure, and data gathering. An expert arbitrates final decisions in Open Source; in Open Mind, much information is accepted or rejected automatically by the infrastructure software. Table 1 summarizes some of these differences.

While domain experts and infrastructure developers are likely to have the same motivations as contributors to Open Source, the

motivations of e-citizens deserve special consideration. E-citizens seek benefit from the resulting Open Mind software, including software that would be very difficult to develop in other ways, such as commonsense knowledge. E-citizens would enjoy game interfaces and seek the public recognition of their contributions. There could be financial incentives such as lotteries, discounts, or frequent-flier awards provided by corporations seeking new customers.

Others have discussed components of Open Mind and its use in different contexts—online interactive data acquisition and voting, collaboration, and machine-learning and pattern-recognition algorithms—yet the integration proposed in Open Mind seems not to have been discussed. A number of existing projects would fit under an Open Mind umbrella and would profit from the initiative. One example is *Newhoo*, where nonspecialist e-citizens propose keyword and index information about Web pages. Their contributions are reviewed by volunteer referee and editors (currently 10,000) and made available to all. We can imagine Open Mind projects in numerous pattern-recognition domains or knowledge engineering to improve navigating news groups, Web sites, or FAQs. Later, these systems can be integrated, for instance, to incorporate natural language or commonsense constraints in speech recognition, OCR, or web searching.

Physics has had its atom smashers, microbiology its Human Genome Project, and aeronautics and astronautics its space missions. Now is the time for computer science and cognitive science to have their big science—one that harvests informal knowledge from a large number of e-citizens for building useful software for next-generation systems. Given the conjunction of several forces—the need for natural human-machine interfaces and improved Web searching, the existence of good learning algorithms and Web infrastructure, and the demonstrated success of the Open Source methodology—the time is right for the Open Mind Initiative.

## Reference

1. D.G. Stork, "Character and Document Recognition in the Open Mind Initiative," *Proc. Int'l Conf. Document Analysis and Recognition (ICDAR '99)*, to be published by IEEE Computer Society Press, Los Alamitos, Calif., 1999.

Table 1. Comparisons between Open Source and Open Mind.

OPEN SOURCE	OPEN MIND
No e-citizens	E-citizens crucial
Expert knowledge	Informal knowledge
Machine learning irrelevant	Machine learning essential
Web useful but optional	Web essential
Most work is directly on the end-user software	Most work is on infrastructure, not on the end-user software
Hacker culture ( $<10^5$ )	E-citizen/business culture ( $<10^9$ )
Separate functions contributed (device drivers in Linux)	Single functional goal (for example, recognition rate in OCR)

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links**» [Abstract Plus](#)[Welcome to IEEE Xplore](#) [SEARCH RESULTS](#) [\[PDF Full-Text \(856 KB\)\]](#) [PREVIOUS](#) [DOWNLOAD CITATION](#)

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- [Print Format](#)

**Building intelligent systems one e-citizen at a time**[Hearst, M.A.](#) [Hunson, R.D.](#) [Stork, D.G.](#)

California Univ. Berkeley, LA, USA;

*This paper appears in: Intelligent Systems, IEEE [see also IEEE Expert]*

Publication Date: May/Jun 1999

On page(s): 16-20

Volume: 14, Issue: 3

ISSN: 1094-7167

References Cited: 6

CODEN: IISYF7

INSPEC Accession Number: 6284660

**Abstract:**

The article comprises two sections. In the first, the author suggests that speculative markets are a neglected way to help us find out what people know. Such markets pool the information that is known to diverse individuals into a common resource, and have many advantages over standard institutions for information aggregation, such as news media, peer review, trials, and opinion polls. Speculative markets are decentralized and relatively egalitarian, and can offer direct, concise, timely, and precise estimates in answer to questions we pose. In the second section, the author argues that now is the time for computer science and cognitive science to have their big science—one that harvests informal knowledge from a large number of e-citizens for building useful software for next generation systems. Given the conjunction of several forces—the need for natural human-machine interfaces and improved Web searching, the existence of good learning algorithms and Web infrastructure, and the demonstrated success of the Open Source methodology—the time is right for the Open Mind Initiative.

**Index Terms:**

[Internet](#) [information retrieval](#) [knowledge based systems](#) [technological forecasting](#) [Open Mind Initiative](#) [Open Source methodology](#) [Web infrastructure](#) [Web searching](#) [cognitive science](#) [common resource](#) [computer science](#) [e-citizen](#) [informal knowledge](#) [information aggregation](#) [intelligent systems](#) [learning algorithms](#) [natural human-machine interfaces](#) [next generation systems](#) [precise estimates](#) [speculative markets](#)

**Documents that cite this document**

Select link to view other documents in the database that cite this one.

[SEARCH RESULTS](#) [\[PDF Full-Text \(856 KB\)\]](#) [PREVIOUS](#) [DOWNLOAD CITATION](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)